



GREAT UTOPIAN SDN BHD

NO. 3418, JALAN PEKELILING TANJUNG 27/1, KAWASAN
PERINDUSTRIAN INDAH PURA, 81000 KULAJAYA, JOHOR.
Tel : 07-2872282

Material Safety Data Sheet (MSDS)

NO.: A012

1、 Details of Product and Supplier

Product details: Anti-static Slipper	
Identification of the Manufacturer/Supplier : Great Utopian Sdn. Bhd.	
Address: No 3418, Jalan Pekeliling Tanjung 27/1, Kawasan Perindustrian Indahpura, 81000, Kulai, Johor	
Phone: 017-878-6280	
Emergent phone: 07-288-2522	Fax: 07-287-2282

2、 Composition/Information of ingredients

Ingredients	CAS.No	volume (%)	Hazardous ingredients
Main Material:SPU (silicate polyurethane)	5/7/7440	95 ~ 100	N / D
Others	_____	_____	_____

3、 Details of Hazardous

The greatest hazardous and effect	Effect to health(acute disease): N / D	(chronic disease) : N / D
	Effect to enviroment: N / D	
	Hazardous of materiality and chemistry: N / D	
	Special hazardous: N / D	
Main Symptom: N / D		
Classification of hazardous: N / D		

4、 Fist aid method

The hazardous after entering body and the fist aid method	Indrawing: Take a fresh breath deviate from the scene.If breath with difficulty, deliver oxygen as soon as possible
	Skin contact: Take off pollutional dress, cleaning with flowing water
	Eye contact: Mention eyelid and irrigate with flowing water or normal saline.Go to the hospital.
	Swallow: Drink enough water and purges.Go to the hospital.
The greatest hazardous and effect: N / D	
Protection to the fist-aid personnel: N / D	
Suggestion to the doctor: N / D	

5、 Firefighting method

Material of firefighting: dry chemical powder、 carbon dioxide、 foam、 dry powder、 water
Special fire fighting procedures : N / D
Probable hazardous during firefighting: N / D
Special equipments for firefighting: should use respirator in case any any hazardous smoke breathing



GREAT UTOPIAN SDN BHD

NO. 3418, JALAN PEKELILING TANJUNG 27/1, KAWASAN PERINDUSTRIAN INDAH PURA, 81000 KULAJAYA, JOHOR.

Tel : 07-2872282

6、 Method for accident

Personal precautions	Recommended emergency personnel wear dust mask (comprehensive cover) and protective clothing
Environmental precautions	Insulating leaked and contaminated area, restricted movement. Cut off the fire. If a large number of leaks, covered with plastic cloth, canvas
Method for cleaning	Avoid dust, sweep carefully, shift to safe places when placed in the bag, collecting, recycling or shipped to the disposal site

7、 Method for safe handling and storage

Advice on safe handling	<ol style="list-style-type: none"> 1 airtight operation, provide a good natural ventilation. 2. Suggest operators wear self-priming filter type dust mask, wearing chemical safety protective glasses, wear gas permeability overalls, wear resistant chemical glove. 3. The operator must receive special training, strictly abide by the operation procedures. 4. Stay away from fire and heat source, the workplace smoking is strictly prohibited. 5. Avoid contact with the oxidant. Light light discharge when handling to prevent damage to packaging and container. 6. Use explosion-proof ventilation systems and equipment. Avoid dust. 7. Equipped with corresponding varieties and number of fire equipment and spill contingency processing equipment. 8. Empty containers may remain inside.
Advice on storage	<ol style="list-style-type: none"> 1. Store in a cool, ventilated warehouse. 2. Equipped with corresponding varieties and number of fire equipment. 3. The storage area should be equipped with the right material for leakage content. 4. Stay away from fire and heat source. Should be stored apart and oxidant, avoid by all means is mixed reservoir

8、 Exposure controls/personal protection

Engineering control: airtight operation, provide a good natural ventilation.	
control	8 hours average concentration/short time average concentration/maximum acceptable concentration: N / D
specification	biological indicator: N / D
personal protection equipments	respiratory protection: Suggest operators wear self-priming filter type dust mask,
	hand protection: wear resistant chemical glove.
	eye protection: wearing chemical safety protective glasses,
	skin and body protection: wear gas permeability overalls,
Sanitary measure: No smoking .To maintain good health habits.	



GREAT UTOPIAN SDN BHD

NO. 3418, JALAN PEKELILING TANJUNG 27/1, KAWASAN
PERINDUSTRIAN INDAH PURA, 81000 KULAJAYA, JOHOR.
Tel : 07-2872282

9、 Physical and chemical properties

Form: solidity	Smell: little or no stimulus
Boiling point: N / A	volatilization rate: N / A
Vapour pressure: N / A	Water solubility: no
Vapour density: N / A	proportion: N / A
Acid-base PH value: N / A	viscosity: N / A
Melting point: N / A	appearance: roll type, sheet type
Colour: Green/Gray/Blue	

10、 Stability and reactivity

Stability: stable	Avoid: N / A
Prohibited content: strong oxidizer	Hazardous decomposer: chlorine elements in the condition of high temperature

11、 Toxicity

Acute toxicity: N / D
Effect: N / D
Sensitivity: N / D
Chronic toxicity or long-term toxicity: N / D
Special effects: N / D

12、 Ecological information

Probable effect on environment/environment spread:
Volatile organic compound (VOC) : N / D
Residual water or solvent : N / A

13、 Waste disposal measures

Waste disposal measures: Before disposal shall refer to the national and local relevant laws and regulations. The proposal with incinerating disposal. Mix with fuel, and then burned. Incinerator discharge hydrogen halide by acid scrubber to remove.
--

14、 Transport information

International transport regulation: N / D
UN number: N / D
National transport regulation: N / D
Special transport method and announcements: N / D

15、 Regulation information

Applicable regulation: no particular regulation

16、 Other information

Company of making sheet	Name: Great Utopian Sdn. Bhd./Quality assurance Department		
	Address: No 3418, Jalan Pekeliling Tanjung 27/1, Kawasan Perindustrian Indahpura, 81000, Kulai, Johor, Malaysia		
Maker	Name: Ayat	Date	Dec, 1st, 2016

Explanation of Abbreviations: N / D - No defined N / A - No application